

082731

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant: Nirat Bhupesh Shah

Serial No: 09/346,884

Filing Date: July 2, 1999

For:

CHANGE OF CODEC DURING AN ACTIVE CALL



Docket No:

14013-27

Group Art Unit

2731

Examiner:

Not Assigned

Box No Fee Amendment
Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT TRANSMITTAL

Sir:


Enclosed for filing in the above-identified application is the following:

- 1) Preliminary Amendment; and
- 3) Postcard for date-stamped return as confirmation of receipt of these materials.

Respectfully submitted,


Dated: 8/26, 1999

OPPENHEIMER WOLFF & DONNELLY LLP
101 Park Center Plaza, Suite 400
San Jose, CA 95113-2218
Tel: 408-795-3000



MARYAM IMAM
Reg. No. 38,190

I hereby certify that these correspondence are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Box No Fee Amendment, Assistant Commissioner for Patents, Washington, D.C. 20231 on 8/26, 1999 by Maryam Imam



RECEIVED
SEP - 2 1999
TC 2700 MAIL ROOM

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant: Nirat Bhupesh Shah

Serial No: 09/346,884

Filing Date: July 2, 1999

For: "CHANGE OF CODEC DURING AN ACTIVE CALL"



Docket No: 14013-23

Group Art Unit: 2731

Examiner: Unassigned

8/1/99
1422

Assistant Commissioner for Patents
Washington, DC 20231

PRELIMINARY AMENDMENT

Sir:

Please amend the above-identified patent application as follows:

In the Specification:

- On page 3, line 26, change "G723" to --G.723.1--.
- On page 7, line 4, change "31" to --310--.
- On page 8, line 21, change "G726" to --G.726--.
- On page 8, line 22, change "G729" to --G.729--.
- On page 8, line 23, change "G723.1" to --G.723.1--.
- On page 8, line 26, change "G723.1" to --G.723.1--.
- On page 8, line 29, change "G723.1" to --G.723.1--.
- On page 8, line 29, change "yield the a" to --yield a--.

RECEIVED
SEP -2 1999
TC 2700 MAIL ROOM

In the Figures:

Please amend the drawings as indicated in red. No new matter has been added. The changes are made to have the figures and the specification consistent.

REMARKS

This preliminary amendment is submitted prior to a first office action.